

Author Index to Volume 172

- Abouaf-Marguin, L., see P. Brosset 172 (1993) 315
- Ågren, H., see H. Koch 172 (1993) 13
- Ågren, H. and H.J.Aa. Jensen, Relaxation and correlation contributions to molecular double core ionization energies 172 (1993) 45
- Aguilar, A., see M. Gilibert 172 (1993) 99
- Alonso, J.L., see D.G. Lister 172 (1993) 303
- Bagnich, S.A. and A.V. Dorokhin, Percolation of triplet excitation of compound molecules in polymeric matrices 172 (1993) 153
- Bakhshi, A.K., G. Paterlini, G. Némethy and J. Ladik, The investigation of the electronic structure of periodic and non-periodic collagen models 172 (1993) 259
- Beddard, G.S., G.G. McFadyen, G.D. Reid and J.R.G. Thorne, Femtosecond optical processes in Durham polyacetylene and norbornylene-polyacetylene copolymer 172 (1993) 363
- Belinskii, M., Spin coupling model for tetrameric iron clusters in ferredoxins. I. Theory, exchange levels, *g*-factors 172 (1993) 189
- Belinskii, M., Spin coupling model for tetrameric iron clusters in ferredoxins. II. Hyperfine interactions, magnetism, high-spin systems 172 (1993) 213
- Boukheddaden, K., J. Linares and F. Varret, Thermodynamic properties of coupled mixed-valence molecules using a cooperative PKS theory: A second-order localized-delocalized transition 172 (1993) 239
- Brosset, P., R. Dahoo, B. Gauthier-Roy, L. Abouaf-Marguin and A. Lakhlifi, Analysis of IR absorption spectrum of O₃ in inert matrices: spectroscopic evidence for two trapping sites 172 (1993) 315
- Buenker, R.J., see M. Honigmann 172 (1993) 59
- Caballol, R., see J. Miralles 172 (1993) 33
- Castañó, F., see R. Martínez 172 (1993) 349
- Castell, O., see J. Miralles 172 (1993) 33
- Charro, M.E., see D.G. Lister 172 (1993) 303
- Dahoo, R., see P. Brosset 172 (1993) 315
- Dorokhin, A.V., see S.A. Bagnich 172 (1993) 153
- Dufour, C., see I. Hikmet 172 (1993) 147
- Eggimann, T., see D.G. Lister 172 (1993) 303
- Fischer, H., see R. Hany 172 (1993) 131
- Gauthier-Roy, B., see P. Brosset 172 (1993) 315

- Gilibert, M., A. Aguilar, M. González and R. Sayós, Quasiclassical trajectory study of the $N(^4S_u) + O_2(X^3\Sigma_g^-) \rightarrow NO(X^2\Pi) + O(^3P_g)$ atmospheric reaction on the $^2A'$ ground potential energy surface employing an analytical Sorbie-Murrell potential 172 (1993) 99
- Gomperts, S.N., J.E. Variyar, M. Greenfield, Y.-C. Shen and D. Kivelson, Dynamic light-scattering studies of longitudinal and shear waves in a molecular liquid 172 (1993) 117
- González, M., see M. Gilibert 172 (1993) 99
- Greenfield, M., see S.N. Gomperts 172 (1993) 117
- Grigoriev, I.A., see A.A. Obynochny 172 (1993) 295
- Hany, R. and H. Fischer, Absolute chemically induced nuclear polarizations from the photodissociation of phenylsubstituted ketones. Radical pair precursor states and memory effects 172 (1993) 131
- Hayes, M.A., see D.A. Shaw 172 (1993) 187
- Helgaker, T., see H. Koch 172 (1993) 13
- Hikmet, I., C. Dufour and B. Pinchemel, Rotational analysis of the $a^3\Sigma^+ - X^1\Sigma^+$ transition of CuBr enhanced by transfer from laser-excited $b^3\Pi_1$ state 172 (1993) 147
- Hirsch, G., see M. Honigmann 172 (1993) 59
- Holland, D.M.P., see D.A. Shaw 172 (1993) 187
- Honigmann, M., G. Hirsch and R.J. Buenker, Theoretical study of the optical and generalized oscillator strengths for transitions between low-lying electronic states of the BF molecule 172 (1993) 59
- Hopkirk, A., see D.A. Shaw 172 (1993) 187
- Jalviste, E. and A. Treshchalov, Spectroscopy of jet-cooled benzimidazole and benzotriazole 172 (1993) 325
- Jensen, H.J.Aa., see H. Koch 172 (1993) 13
- Jensen, H.J.Aa., see H. Ågren 172 (1993) 45
- Jørgensen, P., see H. Koch 172 (1993) 13
- Juha, L., see L. Láska 172 (1993) 377
- Kazakov, V.A., see J. Somló 172 (1993) 85
- Kivelson, D., see S.N. Gomperts 172 (1993) 117
- Koch, A. and S.D. Peyerimhoff, Multireference configuration interaction calculations of the vertical K-shell excitation spectrum of di-fluoro-silane 172 (1993) 21
- Koch, H., H. Ågren, P. Jørgensen, T. Helgaker and H.J.Aa. Jensen, Large scale random phase calculations for direct self-consistent field wavefunctions 172 (1993) 13
- Kokpol, S., see P. Sompornpisut 172 (1993) 7
- Krásá, J., see L. Láska 172 (1993) 377
- Kuntz, P.J., see R. Polák 172 (1993) 73
- Ladik, J., see A.K. Bakhshi 172 (1993) 259
- Lakhlifi, A., see P. Brosset 172 (1993) 315
- Lami, A. and G. Villani, Optical dynamics in monodimensional aggregates with exciton-phonon coupling: a numerical investigation on the time-evolution of the optical doorway state 172 (1993) 285
- Láska, L., J. Krásá and L. Juha, Chemistry of iodine photodissociation lasers at the pyrolytic regime 172 (1993) 377
- Linares, J., see K. Boukheddaden 172 (1993) 239

- Lister, D.G., M.E. Charro, J.C. Lopez, J.L. Alonso, T. Eggimann and H. Wieser, The conformation and ring-puckering vibration of 2-methyloxetane from microwave spectroscopy and ab initio computations 172 (1993) 303
- Lopez, J.C., see D.G. Lister 172 (1993) 303
- Lőrincz, A., see T. Szakács 172 (1993) 1
- MacDonald, M.A., see D.A. Shaw 172 (1993) 187
- Malrieu, J.-P., see J. Miralles 172 (1993) 33
- Martínez, R., F. Castaño, M.N. Sánchez Rayo and R. Pereira, Electron-impact induced light emission from CF₂Br₂ and CF₂H₂ 172 (1993) 349
- Maryasov, A.G., see A.A. Obynochny 172 (1993) 295
- McFadyen, G.G., see G.S. Beddard 172 (1993) 363
- McSweeney, S.M., see D.A. Shaw 172 (1993) 187
- Miralles, J., O. Castell, R. Caballol and J.-P. Malrieu, Specific CI calculation of energy differences: transition energies and bond energies 172 (1993) 33
- Mortensen, S.O., see M. Pilch 172 (1993) 277
- Némethy, G., see A.K. Bakhshi 172 (1993) 259
- Obynochny, A.A., A.G. Maryasov, M.M. Shakirov and I.A. Grigoriev, NMR study of stable radicals in the gas phase 172 (1993) 295
- Paidarová, I., see R. Polák 172 (1993) 73
- Paidarová, I., see J. Šavřda 172 (1993) 265
- Paterlini, G., see A.K. Bakhshi 172 (1993) 259
- Pawlikowski, M., see M. Pilch 172 (1993) 277
- Penzkofer, A., see M. Wittmann 172 (1993) 339
- Pereira, R., see R. Martínez 172 (1993) 349
- Peyerimhoff, S.D., see A. Koch 172 (1993) 21
- Pilch, M., M. Pawlikowski and O.S. Mortensen, Magnetic circular dichroism (MCD) study of low-energy ¹A_g→¹T_{1u} transitions in fullerene 172 (1993) 277
- Pinchemel, B., see I. Hikmet 172 (1993) 147
- Polák, R., I. Paidarová and P.J. Kuntz, Theoretical model and ab initio calculation of potential energy surfaces for the reaction NH⁺·(²Π)+H₂(¹Σ_g⁺) 172 (1993) 73
- Reid, G.D., see G.S. Beddard 172 (1993) 363
- Rode, B.M., see P. Sompornpisut 172 (1993) 7
- Sánchez Rayo, M.N., see R. Martínez 172 (1993) 349
- Šavřda, J., J. Vojtík and I. Paidarová, Ab initio calculation of nuclear quadrupole coupling constants of rovibrational levels of ¹¹B²H, ¹⁰B²H, and ¹⁰B¹H in the double-minimum B¹Σ⁺ electronic state 172 (1993) 265
- Sayós, R., see M. Gilibert 172 (1993) 99
- Shakirov, M.M., see A.A. Obynochny 172 (1993) 295
- Shaw, D.A., D.M.P. Holland, M.A. MacDonald, A. Hopkirk, M.A. Hayes and S.M. McSweeney, A study of the absolute photoabsorption cross section and the photoionization quantum efficiency of nitrogen from the ionization threshold to 485 Å (Chem. Phys. 166 (1992) 379). Erratum 172 (1993) 187

- Shen, Y.-C., see S.N. Gomperts 172 (1993) 11
- Somló, J., see T. Szakács 172 (1993)
- Somló, J., V.A. Kazakov and D.J. Tannor, Controlled dissociation of I_2 via optical transitions between the X and B electronic states 172 (1993) 8
- Sompornpisut, P., S. Kokpol and B.M. Rode, Li^+ in liquid hydroxylamine: intermolecular potential function and Monte Carlo simulation 172 (1993)
- Szakács, T., J. Somló and A. Lőrincz, Optimization of harmonic oscillator wavefunction squeezing in pulsed electronic transitions 172 (1993)
- Tannor, D.J., see J. Somló 172 (1993) 8
- Thorne, J.R.G., see G.S. Beddard 172 (1993) 36
- Treshchalov, A., see E. Jalviste 172 (1993) 32
- Variyar, J.E., see S.N. Gomperts 172 (1993) 11
- Varret, F., see K. Boukheddaden 172 (1993) 23
- Villani, G., see A. Lami 172 (1993) 28
- Vojtík, J., see J. Šavřda 172 (1993) 26
- Von Nagy-Felsobuki, E.I., see F. Wang 172 (1993) 24
- Wang, F. and E.I. von Nagy-Felsobuki, Variational calculations of rovibrational states of Li_2K 172 (1993) 24
- Wieser, H., see D.G. Lister 172 (1993) 30
- Williams, J.H., Modeling the vibrational dynamics of solid benzene: hexafluorobenzene. The anatomy of a phase transition 172 (1993) 17
- Wittmann, M. and A. Penzkofer, Concentration-dependent absorption and emission behaviour of sulforhodamine B in ethylene glycol 172 (1993) 33

Subject Index to Volume 172

Methods

Theoretical

Coupling schemes and perturbative treatments

- Optimization of harmonic oscillator wavefunction squeezing in pulsed electronic transitions, T. Szakács, J. Somló and A. Lőrincz 172 (1993) 1
- Spin coupling model for tetrameric iron clusters in ferredoxins. I. Theory, exchange levels, *g*-factors, M. Belinskii 172 (1993) 189
- Spin coupling model for tetrameric iron clusters in ferredoxins. II. Hyperfine interactions, magnetism, high-spin systems, M. Belinskii 172 (1993) 213

Equilibrium statistical mechanics

- Li^+ in liquid hydroxylamine: intermolecular potential function and Monte Carlo simulation, P. Sompornpisut, S. Kokpol and B.M. Rode 172 (1993) 7
- Thermodynamic properties of coupled mixed-valence molecules using a cooperative PKS theory: A second-order localized-delocalized transition, K. Boukheddaden, J. Linares and F. Varret 172 (1993) 239

Ab initio schemes for stationary properties

- Large scale random phase calculations for direct self-consistent field wavefunctions, H. Koch, H. Ågren, P. Jørgensen, T. Helgaker and H.J.Aa. Jensen 172 (1993) 13
- Multireference configuration interaction calculations of the vertical K-shell excitation spectrum of di-fluoro-silane, A. Koch and S.D. Peyerimhoff 172 (1993) 21
- Specific CI calculation of energy differences: transition energies and bond energies, J. Miralles, O. Castell, R. Caballol and J.-P. Malrieu 172 (1993) 33
- Relaxation and correlation contributions to molecular double core ionization energies, H. Ågren and H.J.Aa. Jensen 172 (1993) 45
- Theoretical study of the optical and generalized oscillator strengths for transitions between low-lying electronic states of the BF molecule, M. Honigmann, G. Hirsch and R.J. Buenker 172 (1993) 59
- Theoretical model and ab initio calculation of potential energy surfaces for the reaction $\text{NH}^+ (^2\Pi) + \text{H}_2 (^1\Sigma_g^+)$, R. Polák, I. Paidarová and P.J. Kuntz 172 (1993) 73
- Variational calculations of rovibrational states of Li_2K , F. Wang and E.I. von Nagy-Felsobuki 172 (1993) 247
- The investigation of the electronic structure of periodic and non-periodic collagen models, A.K. Bakhshi, G. Paterlini, G. Némethy and J. Ladik 172 (1993) 259
- Ab initio calculation of nuclear quadrupole coupling constants of rovibrational levels of $^{11}\text{B}^2\text{H}$, $^{10}\text{B}^2\text{H}$, and $^{10}\text{B}^1\text{H}$ in the double-minimum B $^1\Sigma^+$ electronic state, J. Šavrdá, J. Vojtík and I. Paidarová 172 (1993) 265

Computational and simulation methods

- Optimization of harmonic oscillator wavefunction squeezing in pulsed electronic transitions, T. Szakács, J. Somló and A. Lőrincz 172 (1993) 1
- Li^+ in liquid hydroxylamine: intermolecular potential function and Monte Carlo simulation, P. Sompornpisut, S. Kokpol and B.M. Rode 172 (1993) 7
- Large scale random phase calculations for direct self-consistent field wavefunctions, H. Koch, H. Ågren, P. Jørgensen, T. Helgaker and H.J.Aa. Jensen 172 (1993) 13
- Controlled dissociation of I_2 via optical transitions between the X and B electronic states, J. Somló, V.A. Kazakov and D.J. Tannor 172 (1993) 85
- Quasiclassical trajectory study of the $\text{N}(^4\text{S}_u) + \text{O}_2(\text{X } ^3\Sigma_g^-) \rightarrow \text{NO}(\text{X } ^2\Pi) + \text{O}(^3\text{P}_g)$ atmospheric reaction on the $^2\text{A}'$ ground potential energy surface employing an analytical Sorbie-Murrell potential, M. Gilibert, A. Aguilar, M. González and R. Sayós 172 (1993) 99
- Variational calculations of rovibrational states of Li_2K , F. Wang and E.I. von Nagy-Felsobuki 172 (1993) 247
- Magnetic circular dichroism (MCD) study of low-energy $^1\text{A}_g \rightarrow ^1\text{T}_{1u}$ transitions in fullerene, M. Pilch, M. Pawlikowski and O.S. Mortensen 172 (1993) 277
- Optical dynamics in monodimensional aggregates with exciton-phonon coupling: a numerical investigation on the time-evolution of the optical doorway state, A. Lami and G. Villani 172 (1993) 285

Molecular dynamics and scattering theory

- Controlled dissociation of I_2 via optical transitions between the X and B electronic states, J. Somló, V.A. Kazakov and D.J. Tannor 172 (1993) 85
- Quasiclassical trajectory study of the $\text{N}(^4\text{S}_u) + \text{O}_2(\text{X } ^3\Sigma_g^-) \rightarrow \text{NO}(\text{X } ^2\Pi) + \text{O}(^3\text{P}_g)$ atmospheric reaction on the $^2\text{A}'$ ground potential energy surface employing an analytical Sorbie-Murrell potential, M. Gilibert, A. Aguilar, M. González and R. Sayós 172 (1993) 99
- Dynamic light-scattering studies of longitudinal and shear waves in a molecular liquid, S.N. Gomperts, J.E. Variyar, M. Greenfield, Y.-C. Shen and D. Kivelson 172 (1993) 117

Experimental*Magnetic resonances*

- Absolute chemically induced nuclear polarizations from the photodissociation of phenyl-substituted ketones. Radical pair precursor states and memory effects, R. Hany and H. Fischer 172 (1993) 131
- NMR study of stable radicals in the gas phase, A.A. Obynochny, A.G. Maryasov, M.M. Shakirov and I.A. Grigoriev 172 (1993) 295

Microwave spectroscopy

- The conformation and ring-puckering vibration of 2-methyloxetane from microwave spectroscopy and ab initio computations, D.G. Lister, M.E. Charro, J.C. Lopez, J.L. Alonso, T. Eggimann and H. Wieser 172 (1993) 303

Infrared spectroscopy

- Analysis of IR absorption spectrum of O_3 in inert matrices: spectroscopic evidence for two trapping sites, P. Brosset, R. Dahoo, B. Gauthier-Roy, L. Abouaf-Marguin and A. Lakhlifi 172 (1993) 315

Visible and UV spectroscopy

- Large scale random phase calculations for direct self-consistent field wavefunctions, H. Koch, H. Ågren, P. Jørgensen, T. Helgaker and H.J.Aa. Jensen 172 (1993) 13
- Rotational analysis of the $a^3\Sigma^+ - X^1\Sigma^+$ transition of CuBr enhanced by transfer from laser-excited $b^3\Pi_1$ state, I. Hikmet, C. Dufour and B. Pinchemel 172 (1993) 147
- Percolation of triplet excitation of compound molecules in polymeric matrices, S.A. Bagnich and A.V. Dorokhin 172 (1993) 153
- Magnetic circular dichroism (MCD) study of low-energy $^1A_g \rightarrow ^1T_{1u}$ transitions in fullerene, M. Pilch, M. Pawlikowski and O.S. Mortensen 172 (1993) 277
- Spectroscopy of jet-cooled benzimidazole and benzotriazole, E. Jalviste and A. Treshchalov 172 (1993) 325

Fluorescence spectroscopy

- Rotational analysis of the $a^3\Sigma^+ - X^1\Sigma^+$ transition of CuBr enhanced by transfer from laser-excited $b^3\Pi_1$ state, I. Hikmet, C. Dufour and B. Pinchemel 172 (1993) 147
- Concentration-dependent absorption and emission behaviour of sulforhodamine B in ethylene glycol, M. Wittmann and A. Penzkofer 172 (1993) 339

Electron impact spectroscopy

- Electron-impact induced light emission from CF_2Br_2 and CF_2H_2 , R. Martínez, F. Castaño, M.N. Sánchez Rayo and R. Pereira 172 (1993) 349

Non-linear optical spectroscopy

- Femtosecond optical processes in Durham polyacetylene and norbornylene-polyacetylene copolymer, G.S. Beddard, G.G. McFadyen, G.D. Reid and J.R.G. Thorne 172 (1993) 363

Optical pumping

- Chemistry of iodine photodissociation lasers at the pyrolytic regime, L. Láská, J. Krása and L. Juha 172 (1993) 377

Time-resolved experiments

- Absolute chemically induced nuclear polarizations from the photodissociation of phenyl-substituted ketones. Radical pair precursor states and memory effects, R. Hany and H. Fischer 172 (1993) 131
- Femtosecond optical processes in Durham polyacetylene and norbornylene-polyacetylene copolymer, G.S. Beddard, G.G. McFadyen, G.D. Reid and J.R.G. Thorne 172 (1993) 363

Neutron scattering

- Modeling the vibrational dynamics of solid benzene: hexafluorobenzene. The anatomy of a phase transition, J.H. Williams 172 (1993) 171

Objects**Bulk systems***Gases*

- Multireference configuration interaction calculations of the vertical K-shell excitation spectrum of di-fluoro-silane, A. Koch and S.D. Peyerimhoff 172 (1993) 21

- Variational calculations of rovibrational states of Li_2K , F. Wang and E.I. von Nagy-Felsobuki 172 (1993) 247
- NMR study of stable radicals in the gas phase, A.A. Obynochny, A.G. Maryasov, M.M. Shakirov and I.A. Grigoriev 172 (1993) 295
- Chemistry of iodine photodissociation lasers at the pyrolytic regime, L. Láska, J. Krása and L. Juha 172 (1993) 377
- Supersonic beams*
- Spectroscopy of jet-cooled benzimidazole and benzotriazole, E. Jalviste and A. Treshchalov 172 (1993) 325
- Liquids mixtures and solutions*
- Concentration-dependent absorption and emission behaviour of sulforhodamine B in ethylene glycol, M. Wittmann and A. Penzkofer 172 (1993) 339
- Crystals*
- Analysis of IR absorption spectrum of O_3 in inert matrices: spectroscopic evidence for two trapping sites, P. Brosset, R. Dahoo, B. Gauthier-Roy, L. Abouaf-Marguin and A. Lakhlifi 172 (1993) 315
- Glasses*
- Dynamic light-scattering studies of longitudinal and shear waves in a molecular liquid, S.N. Gomperts, J.E. Variyar, M. Greenfield, Y.-C. Shen and D. Kivelson 172 (1993) 117
- Polymers*
- Percolation of triplet excitation of compound molecules in polymeric matrices, S.A. Bagnich and A.V. Dorokhin 172 (1993) 153
- The investigation of the electronic structure of periodic and non-periodic collagen models, A.K. Bakhshi, G. Paterlini, G. Némethy and J. Ladik 172 (1993) 259
- Femtosecond optical processes in Durham polyacetylene and norbornylene-polyacetylene copolymer, G.S. Beddard, G.G. McFadyen, G.D. Reid and J.R.G. Thorne 172 (1993) 363
- Plasmas*
- Electron-impact induced light emission from CF_2Br_2 and CF_2H_2 , R. Martínez, F. Castaño, M.N. Sánchez Rayo and R. Pereira 172 (1993) 349
- Biological systems*
- The investigation of the electronic structure of periodic and non-periodic collagen models, A.K. Bakhshi, G. Paterlini, G. Némethy and J. Ladik 172 (1993) 259
- Microscopic systems**
- Molecules (neutral and ionic)*
- Optimization of harmonic oscillator wavefunction squeezing in pulsed electronic transitions, T. Szakács, J. Somló and A. Lőrincz 172 (1993) 1
- Large scale random phase calculations for direct self-consistent field wavefunctions, H. Koch, H. Ågren, P. Jørgensen, T. Helgaker and H.J.Aa. Jensen 172 (1993) 13
- Multireference configuration interaction calculations of the vertical K-shell excitation spectrum of di-fluoro-silane, A. Koch and S.D. Peyerimhoff 172 (1993) 21
- Specific CI calculation of energy differences: transition energies and bond energies, J. Miralles, O. Castell, R. Caballol and J.-P. Malrieu 172 (1993) 33

- Relaxation and correlation contributions to molecular double core ionization energies, H. Ågren and H.J.Aa. Jensen 172 (1993) 45
- Ab initio calculation of nuclear quadrupole coupling constants of rovibrational levels of $^{11}\text{B}^2\text{H}$, $^{10}\text{B}^2\text{H}$, and $^{10}\text{B}^1\text{H}$ in the double-minimum B $^1\Sigma^+$ electronic state, J. Šavrda, J. Vojtík and I. Paidarová 172 (1993) 265
- Magnetic circular dichroism (MCD) study of low-energy $^1\text{A}_g \rightarrow ^1\text{T}_{1u}$ transitions in fullerene, M. Pilch, M. Pawlikowski and O.S. Mortensen 172 (1993) 277

-diatomic

- Theoretical study of the optical and generalized oscillator strengths for transitions between low-lying electronic states of the BF molecule, M. Honigmann, G. Hirsch and R.J. Buenker 172 (1993) 59
- Controlled dissociation of I_2 via optical transitions between the X and B electronic states, J. Somló, V.A. Kazakov and D.J. Tannor 172 (1993) 85
- Quasiclassical trajectory study of the $\text{N}(^4\text{S}_u) + \text{O}_2(\text{X } ^3\Sigma_g^-) \rightarrow \text{NO}(\text{X } ^2\Pi) + \text{O}(^3\text{P}_g)$ atmospheric reaction on the $^2\text{A}'$ ground potential energy surface employing an analytical Sorbie-Murrell potential, M. Gilibert, A. Aguilar, M. González and R. Sayós 172 (1993) 99
- Rotational analysis of the $a \ ^3\Sigma^+ - \text{X } ^1\Sigma^+$ transition of CuBr enhanced by transfer from laser-excited $b \ ^3\Pi_1$ state, I. Hikmet, C. Dufour and B. Pinchemel 172 (1993) 147

-small polyatomics

- Theoretical model and ab initio calculation of potential energy surfaces for the reaction $\text{NH}^+ (^2\Pi) + \text{H}_2 (^1\Sigma_g^+)$, R. Polák, I. Paidarová and P.J. Kuntz 172 (1993) 73
- Variational calculations of rovibrational states of Li_2K , F. Wang and E.I. von Nagy-Felsobuki 172 (1993) 247
- The conformation and ring-puckering vibration of 2-methyloxetane from microwave spectroscopy and ab initio computations, D.G. Lister, M.E. Charro, J.C. Lopez, J.L. Alonso, T. Eggimann and H. Wieser 172 (1993) 303
- Analysis of IR absorption spectrum of O_3 in inert matrices: spectroscopic evidence for two trapping sites, P. Brosset, R. Dahoo, B. Gauthier-Roy, L. Abouaf-Marguin and A. Lakhlifi 172 (1993) 315

-aromatics

- Magnetic circular dichroism (MCD) study of low-energy $^1\text{A}_g \rightarrow ^1\text{T}_{1u}$ transitions in fullerene, M. Pilch, M. Pawlikowski and O.S. Mortensen 172 (1993) 277
- Spectroscopy of jet-cooled benzimidazole and benzotriazole, E. Jalviste and A. Treshchalov 172 (1993) 325
- Concentration-dependent absorption and emission behaviour of sulforhodamine B in ethylene glycol, M. Wittmann and A. Penzkofer 172 (1993) 339

-other large

- Chemistry of iodine photodissociation lasers at the pyrolytic regime, L. Láská, J. Krása and L. Juha 172 (1993) 377

-polymeric and biological

- The investigation of the electronic structure of periodic and non-periodic collagen models, A.K. Bakhshi, G. Paterlini, G. Némethy and J. Ladik 172 (1993) 259

Molecular aggregates

- Optical dynamics in monodimensional aggregates with exciton-phonon coupling: a numerical investigation on the time-evolution of the optical doorway state, A. Lami and G. Villani 172 (1993) 285

-dimers

- Concentration-dependent absorption and emission behaviour of sulforhodamine B in ethylene glycol, M. Wittmann and A. Penzkofer 172 (1993) 339

-clusters

- Percolation of triplet excitation of compound molecules in polymeric matrices, S.A. Bagnich and A.V. Dorokhin 172 (1993) 153
- Spin coupling model for tetrameric iron clusters in ferredoxins. I. Theory, exchange levels, g-factors, M. Belinskii 172 (1993) 189
- Spin coupling model for tetrameric iron clusters in ferredoxins. II. Hyperfine interactions, magnetism, high-spin systems, M. Belinskii 172 (1993) 213

Free radicals (including hydronium and muonium)

- Absolute chemically induced nuclear polarizations from the photodissociation of phenyl-substituted ketones. Radical pair precursor states and memory effects, R. Hany and H. Fischer 172 (1993) 131
- Chemistry of iodine photodissociation lasers at the pyrolytic regime, L. Láská, J. Krása and L. Juha 172 (1993) 377

Quasiparticles (including excitations)

- Femtosecond optical processes in Durham polyacetylene and norbornylene-polyacetylene copolymer, G.S. Beddard, G.G. McFadyen, G.D. Reid and J.R.G. Thorne 172 (1993) 363

Ions and charge carriers

- Li^+ in liquid hydroxylamine: intermolecular potential function and Monte Carlo simulation, P. Sompornpisut, S. Kokpol and B.M. Rode 172 (1993) 7
- Theoretical model and ab initio calculation of potential energy surfaces for the reaction $\text{NH}^{+\cdot} (^2\Pi) + \text{H}_2 (^1\Sigma_g^+)$, R. Polák, I. Paidarová and P.J. Kuntz 172 (1993) 73

Phenomena*Molecular structure*

- Multireference configuration interaction calculations of the vertical K-shell excitation spectrum of di-fluoro-silane, A. Koch and S.D. Peyerimhoff 172 (1993) 21
- Ab initio calculation of nuclear quadrupole coupling constants of rovibrational levels of $^{11}\text{B}^2\text{H}$, $^{10}\text{B}^2\text{H}$, and $^{10}\text{B}^1\text{H}$ in the double-minimum $\text{B } ^1\Sigma^+$ electronic state, J. Šavřda, J. Vojtík and I. Paidarová 172 (1993) 265
- The conformation and ring-puckering vibration of 2-methyloxetane from microwave spectroscopy and ab initio computations, D.G. Lister, M.E. Charro, J.C. Lopez, J.L. Alonso, T. Eggimann and H. Wieser 172 (1993) 303

Vibrations and rotations of molecules

- Optimization of harmonic oscillator wavefunction squeezing in pulsed electronic transitions, T. Szakács, J. Somló and A. Lőrincz 172 (1993) 1
- Theoretical study of the optical and generalized oscillator strengths for transitions between low-lying electronic states of the BF molecule, M. Honigmann, G. Hirsch and R.J. Buenker 172 (1993) 59
- Modeling the vibrational dynamics of solid benzene: hexafluorobenzene. The anatomy of a phase transition, J.H. Williams 172 (1993) 171
- Variational calculations of rovibrational states of Li₂K, F. Wang and E.I. von Nagy-Felsobuki 172 (1993) 247
- Ab initio calculation of nuclear quadrupole coupling constants of rovibrational levels of ¹¹B²H, ¹⁰B²H, and ¹⁰B¹H in the double-minimum B ¹Σ⁺ electronic state, J. Šavrdá, J. Vojtík and I. Paidarová 172 (1993) 265
- The conformation and ring-puckering vibration of 2-methyloxetane from microwave spectroscopy and ab initio computations, D.G. Lister, M.E. Charro, J.C. Lopez, J.L. Alonso, T. Eggimann and H. Wieser 172 (1993) 303
- Analysis of IR absorption spectrum of O₃ in inert matrices: spectroscopic evidence for two trapping sites, P. Brosset, R. Dahoo, B. Gauthier-Roy, L. Abouaf-Marguin and A. Lakhlifi 172 (1993) 315
- Spectroscopy of jet-cooled benzimidazole and benzotriazole, E. Jalviste and A. Treshchalov 172 (1993) 325

Electronic structure and states

- Large scale random phase calculations for direct self-consistent field wavefunctions, H. Koch, H. Ågren, P. Jørgensen, T. Helgaker and H.J.Aa. Jensen 172 (1993) 13
- Specific CI calculation of energy differences: transition energies and bond energies, J. Miralles, O. Castell, R. Caballol and J.-P. Malrieu 172 (1993) 33
- Theoretical study of the optical and generalized oscillator strengths for transitions between low-lying electronic states of the BF molecule, M. Honigmann, G. Hirsch and R.J. Buenker 172 (1993) 59
- Theoretical model and ab initio calculation of potential energy surfaces for the reaction NH⁺ (²Π) + H₂ (¹Σ_g⁺), R. Polák, I. Paidarová and P.J. Kuntz 172 (1993) 73
- Rotational analysis of the a ³Σ⁺ - X ¹Σ⁺ transition of CuBr enhanced by transfer from laser-excited b ³Π₁ state, I. Hikmet, C. Dufour and B. Pinchemel 172 (1993) 147
- Spin coupling model for tetrameric iron clusters in ferredoxins. I. Theory, exchange levels, g-factors, M. Belinskii 172 (1993) 189
- Spin coupling model for tetrameric iron clusters in ferredoxins. II. Hyperfine interactions, magnetism, high-spin systems, M. Belinskii 172 (1993) 213
- The investigation of the electronic structure of periodic and non-periodic collagen models, A.K. Bakhshi, G. Paterlini, G. Némethy and J. Ladik 172 (1993) 259
- Spectroscopy of jet-cooled benzimidazole and benzotriazole, E. Jalviste and A. Treshchalov 172 (1993) 325

Electric and magnetic properties

- Spin coupling model for tetrameric iron clusters in ferredoxins. I. Theory, exchange levels, g-factors, M. Belinskii 172 (1993) 189
- Spin coupling model for tetrameric iron clusters in ferredoxins. II. Hyperfine interactions, magnetism, high-spin systems, M. Belinskii 172 (1993) 213

Spin splittings

- Spin coupling model for tetrameric iron clusters in ferredoxins. I. Theory, exchange levels, g-factors, M. Belinskii 172 (1993) 189

- Spin coupling model for tetrameric iron clusters in ferredoxins. II. Hyperfine interactions, magnetism, high-spin systems, M. Belinskii 172 (1993) 213
- Optical activity*
Magnetic circular dichroism (MCD) study of low-energy $^1A_g \rightarrow ^1T_{1u}$ transitions in fullerene, M. Pilch, M. Pawlikowski and O.S. Mortensen 172 (1993) 277
- Molecular interactions*
Modeling the vibrational dynamics of solid benzene: hexafluorobenzene. The anatomy of a phase transition, J.H. Williams 172 (1993) 171
NMR study of stable radicals in the gas phase, A.A. Obynochny, A.G. Maryasov, M.M. Shakirov and I.A. Grigoriev 172 (1993) 295
- Spectral bandshapes and intensities*
Theoretical study of the optical and generalized oscillator strengths for transitions between low-lying electronic states of the BF molecule, M. Honigmann, G. Hirsch and R.J. Buenker 172 (1993) 59
- Coupling of electronic and nuclear motion*
Thermodynamic properties of coupled mixed-valence molecules using a cooperative PKS theory: A second-order localized-delocalized transition, K. Boukheddaden, J. Linares and F. Varret 172 (1993) 239
Optical dynamics in monodimensional aggregates with exciton-phonon coupling: a numerical investigation on the time-evolution of the optical doorway state, A. Lami and G. Villani 172 (1993) 285
- Energy transfer processes*
Multireference configuration interaction calculations of the vertical K-shell excitation spectrum of di-fluoro-silane, A. Koch and S.D. Peyerimhoff 172 (1993) 21
Percolation of triplet excitation of compound molecules in polymeric matrices, S.A. Bagnich and A.V. Dorokhin 172 (1993) 153
Optical dynamics in monodimensional aggregates with exciton-phonon coupling: a numerical investigation on the time-evolution of the optical doorway state, A. Lami and G. Villani 172 (1993) 285
- Molecular photophysical processes*
Optimization of harmonic oscillator wavefunction squeezing in pulsed electronic transitions, T. Szakács, J. Somlói and A. Lőrincz 172 (1993) 1
- Intramolecular dynamics*
Controlled dissociation of I_2 via optical transitions between the X and B electronic states, J. Somlói, V.A. Kazakov and D.J. Tannor 172 (1993) 85
- Luminescence spectra, yields and lifetimes*
Concentration-dependent absorption and emission behaviour of sulforhodamine B in ethylene glycol, M. Wittmann and A. Penzkofer 172 (1993) 339
Electron-impact induced light emission from CF_2Br_2 and CF_2H_2 , R. Martínez, F. Castaño, M.N. Sánchez Rayo and R. Pereira 172 (1993) 349

Non-linear responses (including optical)

- Femtosecond optical processes in Durham polyacetylene and norbornylene-polyacetylene copolymer, G.S. Beddard, G.G. McFadyen, G.D. Reid and J.R.G. Thorne 172 (1993) 363

*Reactions (including dissociation)**-gas phase*

- Theoretical model and ab initio calculation of potential energy surfaces for the reaction $\text{NH}^{++} (^2\Pi) + \text{H}_2 (^1\Sigma_g^+)$, R. Polák, I. Paidarová and P.J. Kuntz 172 (1993) 73
- Quasiclassical trajectory study of the $\text{N} (^4\text{S}_u) + \text{O}_2 (\text{X } ^3\Sigma_g^-) \rightarrow \text{NO} (\text{X } ^2\Pi) + \text{O} (^3\text{P}_g)$ atmospheric reaction on the $^2\text{A}'$ ground potential energy surface employing an analytical Sorbie-Murrell potential, M. Gilibert, A. Aguilar, M. González and R. Sayós 172 (1993) 99

-photochemical

- Absolute chemically induced nuclear polarizations from the photodissociation of phenyl-substituted ketones. Radical pair precursor states and memory effects, R. Hany and H. Fischer 172 (1993) 131
- Chemistry of iodine photodissociation lasers at the pyrolytic regime, L. Láska, J. Krása and L. Juha 172 (1993) 377

Electron transfer

- Thermodynamic properties of coupled mixed-valence molecules using a cooperative PKS theory: A second-order localized-delocalized transition, K. Boukheddaden, J. Linares and F. Varret 172 (1993) 239

Ionization (including Rydberg states)

- Relaxation and correlation contributions to molecular double core ionization energies, H. Ågren and H.J.Aa. Jensen 172 (1993) 45

Molecular motion (including diffusive)

- Modeling the vibrational dynamics of solid benzene: hexafluorobenzene. The anatomy of a phase transition, J.H. Williams 172 (1993) 171

Phase transitions

- Modeling the vibrational dynamics of solid benzene: hexafluorobenzene. The anatomy of a phase transition, J.H. Williams 172 (1993) 171
- Thermodynamic properties of coupled mixed-valence molecules using a cooperative PKS theory: A second-order localized-delocalized transition, K. Boukheddaden, J. Linares and F. Varret 172 (1993) 239